

## EU CERTIFICATE OF CONFORMITY

In accordance with the requirements of the Pressure Equipment Directive 2014/68/EU

This is to certify that the Quality Management System of:

**RINGO VALVULAS, S.L. (SAMSON - RINGO)**  
**Pol. Industrial Empresarium**  
**C/ Romero nº 6 y 8**  
**50720 - La Cartuja (ZARAGOZA) -Spain**

has been assessed against the requirements of Annex III, **Module H** of the Pressure Equipment Directive 2014/68/EU and conforms to the requirements for the products shown below:

**Design and manufacturing of pressure accessories. Gate, globe, check, ball, butterfly, plug, diaphragm, control, axial and special valves for industrial applications. (Pressure, materials and dimensions detailed in certificate schedule)**

Approval is subject to the continued maintenance of the quality system in accordance with the requirements of the above Directive for the products listed on the attached schedule.

Authorisation is hereby given to use the LRQA Inspection Iberia, S.A Notified Body Identification Number in accordance with the requirements of the specified Directive in relation to the products as identified above.

**Certificate No: 0094/PED/MAD/0132 ENG**

Original Approval: 20 December 2020

Current Certificate: 22 May 2023

Certificate Expiry: 29 November 2024

LRQA Inspection Iberia, S.A Notified Body 0094

Cristel López, LRQA Decision Maker



LRQA Inspection Iberia, S.A. is a company registered in the R. M. de Madrid, in Volume 5218 general, 4358, of Section Sec. 3.ª of the Companies Book, folio 133 sheet nº 41397, inscription. 1.ª C.I.F. - A28591287 - Registered office C/Princesa 29, 1º. 28008 Madrid - A subsidiary of LRQA Group Limited.

LRQA Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as 'LRQA'. LRQA assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant LRQA entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.



## EU CERTIFICATE SCHEDULE 0094/PED/MAD/0132 ENG

In accordance with the requirements of the Pressure Equipment  
Directive 2014/68/EU.

Product (s)	Model	Design Standard/ Code	Size Range	Rating Range	Materials
					A216 (WCB/WCC), A182 (Gr.: F1/F5/F5a/F9/F11/F22/F44/F51/F53/F91/F304/F304L/F316/F316H/F316L/F321/F347/F347H), A240 316, A217 (C5/C12A/WC1/WC6/WC9), A350 (LF2/LF3), A351 (CD4MCu/CF3/CF3M/CF8/CF8C/CF8M/CK3MCuN), A352 (LC1/LC2/LC3/LCB/LCC), A453 Gr. 660B, A479 (T304/T304L/T316/T316L/T321), A494 (CW6MC/M35-1), B564 (N04400/N06625)
<b>Globe valve</b>	<b>Straight pattern</b>  <b>Y pattern</b>  <b>Angle pattern</b>  <b>Stop check</b>	ANSI B16.34 API 6A API 602 EN 12516 BS 1873	Up to:  48" DN1200	Up to:  4500 # 20.000 psi PN400	1.0426 (EN 10222-2), 1.0460 (EN 10273), 1.0619 (EN 10213), 1.0625 (EN 10213), 1.0426 (EN 10222-2), 1.0460 (EN 10273), 1.0619 (EN 10213), 1.0625 (EN 1.0426 (EN 10222-2), 1.0460 (EN 10273), 1.0619 (EN 10213), 1.0625 (EN 10213), 1.4308 (EN 10213), 1.4401 (EN 10222-5), 1.4404 (EN 10222-5), 1.4408 (EN 10213), 1.4409 (EN 10213), 1.4541 (EN 10222-5), 1.4550 (EN 10222-5), 1.4552 (EN 10213), 1.4571 (EN 10222-5), 1.4581 (EN 10213), 1.5415 (EN 10222-2), 1.6368 (EN 10216-2), 1.7335 (EN 10222-2), A105, A194 Gr. 6 T410, A216 (WCB/WCC), A182 (Gr.: F1/F5/F5a/F9/F11/F22/F44/F51/F53/F91/F304/F304L/F316/F316H/F316L/F321/F347/F347H), A240 316, A217 (C5/C12A/WC1/WC6/WC9), A350 (LF2/LF3), A351 (CD4MCu/CF3/CF3M/CF8/CF8C/CF8M/CK3MCuN), A352 (LC1/LC2/LC3/LCB/LCC), A453 Gr. 660B, A479 (T304/T304L/T316/T316L/T321), A494 (CW6MC/M35-1), B564 (N04400/N06625)



LRQA Inspection Iberia, S.A. is a company registered in the R. M. de Madrid, in Volume 5218 general, 4358, of Section Sec. 3.ª of the Companies Book, folio 133 sheet nº 41397, inscription. 1.ª C.I.F. - A28591287 - Registered office C/Princesa 29, 1º. 28008 Madrid. A subsidiary of LRQA Group Limited.

LRQA Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as 'LRQA'. LRQA assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant LRQA entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.

## EU CERTIFICATE SCHEDULE 0094/PED/MAD/0132 ENG

In accordance with the requirements of the Pressure Equipment  
Directive 2014/68/EU.

Product (s)	Model	Design Standard/ Code	Size Range	Rating Range	Materials
<b>Globe valve 3588</b>	<b>Straight pattern</b>  <b>Y pattern</b>  <b>Angle pattern</b>  <b>Stop check</b>	ANSI B16.34 API 6A API 602 EN 12516 BS 1873	Up to:  12" DN300	Up to:  1500 # PN250	1.0426 (EN 10222-2), 1.0460 (EN 10273), 1.0619 (EN 10213), 1.0625 (EN 10213), 1.4308 (EN 10213), 1.4401 (EN 10222-5), 1.4404 (EN 10222-5), 1.4408 (EN 10213), 1.4409 (EN 10213), 1.4541 (EN 10222-5), 1.4550 (EN 10222-5), 1.4552 (EN 10213), 1.4571 (EN 10222-5), 1.4581 (EN 10213), 1.5415 (EN 10222-2), 1.6368 (EN 10216-2), 1.7335 (EN 10222-2), A105, A194 Gr. 6 T410, A216 (WCB/WCC), A182 (Gr.: F1/F5/F5a/F9/F11/F22/F44/F51/F53/F91/F304/F304L/F316/F316H/F316L/F321/F347/F347H), A240 316, A217 (C5/C12A/WC1/WC6/WC9), A350 (LF2/LF3), A351 (CD4MCu/CF3/CF3M/CF8/CF8C/CF8M/CK3MCuN), A352 (LC1/LC2/LC3/LCB/LCC), A453 Gr. 660B, A479 (T304/T304L/T316/T316L/T321), A494 (CW6MC/M35-1), B564 (N04400/N06625)
<b>Check valve</b>	<b>Piston</b>  <b>Swing</b>  <b>Dual plate</b>  <b>Tilting Disc</b>	ANSI B16.34 API 6D API 6DSS API 6A API 602 EN 12516 BS 1868	Up to:  64" DN1600	Up to:  4500 # 20.000 psi PN400	1.0426 (EN 10222-2), 1.0460 (EN 10273), 1.0619 (EN 10213), 1.0625 (EN 10213), 1.0426 (EN 10222-2), 1.0460 (EN 10273), 1.0619 (EN 10213), 1.0625 (EN 1.0426 (EN 10222-2), 1.0460 (EN 10273), 1.0619 (EN 10213), 1.0625 (EN 10222-5), 1.4404 (EN 10222-5), 1.4408 (EN 10213), 1.4409 (EN 10213), 1.4541 (EN 10222-5), 1.4550 (EN 10222-5), 1.4552 (EN 10213), 1.4571 (EN 10222-5), 1.4581 (EN 10213), 1.5415 (EN 10222-2), 1.6368 (EN 10216-2), 1.7335 (EN 10222-2), A105, A194 Gr. 6 T410, A216 (WCB/WCC), A182 (Gr.: F1/F5/F5a/F9/F11/F22/F44/F51/F53/F91/F304/F304L/F316/F316H/F316L/F3



LRQA Inspection Iberia, S.A. is a company registered in the R. M. de Madrid, in Volume 5218 general, 4358, of Section Sec. 3.ª of the Companies Book, folio 133 sheet nº 41397, inscription. 1.ª C.I.F. - A28591287 - Registered office C/Princesa 29, 1º. 28008 Madrid. A subsidiary of LRQA Group Limited.

LRQA Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as 'LRQA'. LRQA assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant LRQA entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.

## EU CERTIFICATE SCHEDULE 0094/PED/MAD/0132 ENG

In accordance with the requirements of the Pressure Equipment  
Directive 2014/68/EU.

Product (s)	Model	Design Standard/ Code	Size Range	Rating Range	Materials
					21/F347/F347H), A240 316, A217 (C5/C12A/WC1/WC6/WC9), A350 (LF2/LF3), A351 (CD4MCu/CF3/CF3M/CF8/CF8C/CF8M/CK3MCuN), A352 (LC1/LC2/LC3/LCB/LCC), A453 Gr. 660B, A479 (T304/T304L/T316/T316L/T321), A494 (CW6MC/M35-1), B564 (N04400/N06625)
<b>Butterfly valve</b>	<b>Concentric Double Eccentric Triple eccentric</b>	ANSI B16.34 API 609 MSS SP-67 BS 3952 EN 12516 AWWA C-504	Up to:  72" DN1800	Up to:  600 # PN100	1.0426 (EN 10222-2), 1.0460 (EN 10273), 1.0619 (EN 10213), 1.0625 (EN 10213), 1.0426 (EN 10222-2), 1.0460 (EN 10273), 1.0619 (EN 10213), 1.0625 (EN 1.0426 (EN 10222-2), 1.0460 (EN 10273), 1.0619 (EN 10213), 1.0625 (EN 10213), 1.4308 (EN 10213), 1.4401 (EN 10222-5), 1.4404 (EN 10222-5), 1.4408 (EN 10213), 1.4409 (EN 10213), 1.4541 (EN 10222-5), 1.4550 (EN 10222-5), 1.4552 (EN 10213), 1.4571 (EN 10222-5), 1.4581 (EN 10213), 1.5415 (EN 10222-2), 1.6368 (EN 10216-2), 1.7335 (EN 10222-2), A105, A194 Gr. 6 T410, A216 (WCB/WCC), A182 (Gr.: F1/F5/F5a/F9/F11/F22/F44/F51/F53/F91/F304/F304L/F316/F316H/F316L/F321/F347/F347H), A240 316, A217 (C5/C12A/WC1/WC6/WC9), A350 (LF2/LF3), A351 (CD4MCu/CF3/CF3M/CF8/CF8C/CF8M/CK3MCuN), A352 (LC1/LC2/LC3/LCB/LCC), A453 Gr. 660B, A479 (T304/T304L/T316/T316L/T321), A494 (CW6MC/M35-1), B564 (N04400/N06625)
<b>Diaphragm valve</b>		ANSI B16.34 API 6A API 602 EN 12516	Up to:  6" DN150	Up to:  300 # PN63	1.0426 (EN 10222-2), 1.0460 (EN 10273), 1.0619 (EN 10213), 1.0625 (EN 10213), 1.0426 (EN 10222-2), 1.0460 (EN 10273), 1.0619 (EN 10213), 1.0625



LRQA Inspection Iberia, S.A. is a company registered in the R. M. de Madrid, in Volume 5218 general, 4358, of Section Sec. 3.ª of the Companies Book, folio 133 sheet nº 41397, inscription. 1.ª C.I.F. - A28591287 - Registered office C/Princesa 29, 1º. 28008 Madrid. A subsidiary of LRQA Group Limited.

LRQA Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as 'LRQA'. LRQA assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant LRQA entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.

## EU CERTIFICATE SCHEDULE 0094/PED/MAD/0132 ENG

In accordance with the requirements of the Pressure Equipment  
Directive 2014/68/EU.

Product (s)	Model	Design Standard/ Code	Size Range	Rating Range	Materials
					(EN 1.0426 (EN 10222-2), 1.0460 (EN 10273), 1.0619 (EN 10213), 1.0625 (EN 10213), 1.4308 (EN 10213), 1.4401 (EN 10222-5), 1.4404 (EN 10222-5), 1.4408 (EN 10213), 1.4409 (EN 10213), 1.4541 (EN 10222-5), 1.4550 (EN 10222-5), 1.4552 (EN 10213), 1.4571 (EN 10222-5), 1.4581 (EN 10213), 1.5415 (EN 10222-2), 1.6368 (EN 10216-2), 1.7335 (EN 10222-2), A105, A194 Gr. 6 T410, A216 (WCB/WCC), A182 (Gr.: F1/F5/F5a/F9/F11/F22/F44/F51/F53/F91/F304/F304L/F316/F316H/F316L/F321/F347/F347H), A240 316, A217 (C5/C12A/WC1/WC6/WC9), A350 (LF2/LF3), A351 (CD4MCu/CF3/CF3M/CF8/CF8C/CF8M/CK3MCuN), A352 (LC1/LC2/LC3/LCB/LCC), A453 Gr. 660B, A479 (T304/T304L/T316/T316L/T321), A494 (CW6MC/M35-1), B564 (N04400/N06625)
<b>Axial valve 3599</b>		ANSI B16.34 API 6A API 6DSS EN 12516	Up to:  60" DN1500	Up to:  2500 # 20.000 psi PN320	1.0426 (EN 10222-2), 1.0460 (EN 10273), 1.0619 (EN 10213), 1.0625 (EN 10213), 1.0426 (EN 10222-2), 1.0460 (EN 10273), 1.0619 (EN 10213), 1.0625 (EN 10213), 1.0619 (EN 10213), 1.0625 (EN 10213), 1.4308 (EN 10213), 1.4401 (EN 10222-5), 1.4404 (EN 10222-5), 1.4408 (EN 10213), 1.4409 (EN 10213), 1.4541 (EN 10222-5), 1.4550 (EN 10222-5), 1.4552 (EN 10213), 1.4571 (EN 10222-5), 1.4581 (EN 10213), 1.5415 (EN 10222-2), 1.6368 (EN 10216-2), 1.7335 (EN 10222-2), A105, A194 Gr. 6 T410, A216 (WCB/WCC), A182 (Gr.: F1/F5/F5a/F9/F11/F22/F44/F51/F53/F91/F304/F304L/F316/F316H/F316L/F321/F347/F347H), A240 316, A217



LRQA Inspection Iberia, S.A. is a company registered in the R. M. de Madrid, in Volume 5218 general, 4358, of Section Sec. 3.ª of the Companies Book, folio 133 sheet nº 41397, inscription. 1.ª  
C.I.F. - A28591287 - Registered office C/Princesa 29, 1º. 28008 Madrid. A subsidiary of LRQA Group Limited.

LRQA Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as 'LRQA'. LRQA assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant LRQA entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.

## EU CERTIFICATE SCHEDULE 0094/PED/MAD/0132 ENG

In accordance with the requirements of the Pressure Equipment  
Directive 2014/68/EU.

Product (s)	Model	Design Standard/ Code	Size Range	Rating Range	Materials
					(C5/C12A/WC1/WC6/WC9), A350 (LF2/LF3), A351 (CD4MCu/CF3/CF3M/CF8/CF8C/CF8M/ CK3MCuN), A352 (LC1/LC2/LC3/LCB/LCC), A453 Gr. 660B, A479 (T304/T304L/T316/T316L/T321), A494 (CW6MC/M35-1), B564 (N04400/N06625)
<b>Control valve 3595</b>	<b>Straight pattern</b> <b>Y pattern</b> <b>Angle pattern</b> <b>3-way</b> <b>Bellows seal</b>	ANSI B16.34 API 6A EN 12516	Up to: 48" DN1200	Up to: 4500 # 20.000 psi PN400	1.0426 (EN 10222-2), 1.0460 (EN 10273), 1.0619 (EN 10213), 1.0625 (EN 10213), 1.0426 (EN 10222-2), 1.0460 (EN 10273), 1.0619 (EN 10213), 1.0625 (EN 1.0426 (EN 10222-2), 1.0460 (EN 10273), 1.0619 (EN 10213), 1.0625 (EN 10213), 1.4308 (EN 10213), 1.4401 (EN 10222-5), 1.4404 (EN 10222-5), 1.4408 (EN 10213), 1.4409 (EN 10213), 1.4541 (EN 10222-5), 1.4550 (EN 10222-5), 1.4552 (EN 10213), 1.4571 (EN 10222-5), 1.4581 (EN 10213), 1.5415 (EN 10222-2), 1.6368 (EN 10216-2), 1.7335 (EN 10222-2), A105, A194 Gr. 6 T410, A216 (WCB/WCC), A182 (Gr.: F1/F5/F5a/F9/F11/F22/F44/F51/F53/F91/F304/F304L/F316/F316H/F316L/F321/F347/F347H), A240 316, A217 (C5/C12A/WC1/WC6/WC9), A350 (LF2/LF3), A351 (CD4MCu/CF3/CF3M/CF8/CF8C/CF8M/CK3MCuN), A352 (LC1/LC2/LC3/LCB/LCC), A453 Gr. 660B, A479 (T304/T304L/T316/T316L/T321), A494 (CW6MC/M35-1), B564 (N04400/N06625)
<b>Control valve 3251-E</b>	<b>Straight pattern</b> <b>Y pattern</b> <b>Angle pattern</b>	ANSI B16.34 API 6A EN 12516	Up to: 36" DN900	Up to: 4500 # 20.000 psi	1.0426 (EN 10222-2), 1.0460 (EN 10273), 1.0619 (EN 10213), 1.0625 (EN 10213), 1.0426 (EN 10222-2), 1.0460 (EN 10273), 1.0619 (EN 10213), 1.0625 (EN 1.0426 (EN 10222-2), 1.0460 (EN



LRQA Inspection Iberia, S.A. is a company registered in the R. M. de Madrid, in Volume 5218 general, 4358, of Section Sec. 3.ª of the Companies Book, folio 133 sheet nº 41397, inscription. 1.ª C.I.F. - A28591287 - Registered office C/Princesa 29, 1º. 28008 Madrid. A subsidiary of LRQA Group Limited.

LRQA Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as 'LRQA'. LRQA assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant LRQA entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.

## EU CERTIFICATE SCHEDULE 0094/PED/MAD/0132 ENG

In accordance with the requirements of the Pressure Equipment  
Directive 2014/68/EU.

Product (s)	Model	Design Standard/ Code	Size Range	Rating Range	Materials
	<b>3-way Bellows seal</b>			PN400	10273), 1.0619 (EN 10213), 1.0625 (EN 10213), 1.4308 (EN 10213), 1.4401 (EN 10222-5), 1.4404 (EN 10222-5), 1.4408 (EN 10213), 1.4409 (EN 10213), 1.4541 (EN 10222-5), 1.4550 (EN 10222-5), 1.4552 (EN 10213), 1.4571 (EN 10222-5), 1.4581 (EN 10213), 1.5415 (EN 10222-2), 1.6368 (EN 10216-2), 1.7335 (EN 10222-2), A105, A194 Gr. 6 T410, A216 (WCB/WCC), A182 (Gr.: F1/F5/F5a/F9/F11/F22/F44/F51/F53/F91/F304/F304L/F316/F316H/F316L/F321/F347/F347H), A240 316, A217 (C5/C12A/WC1/WC6/WC9), A350 (LF2/LF3), A351 (CD4MCu/CF3/CF3M/CF8/CF8C/CF8M/CK3MCuN), A352 (LC1/LC2/LC3/LCB/LCC), A453 Gr. 660B, A479 (T304/T304L/T316/T316L/T321), A494 (CW6MC/M35-1), B564 (N04400/N06625)
<b>Choke</b>	<b>Positive Adjustable Control</b>	ANSI B16.34 API 6A EN 12516	Up to: 20" DN500	Up to: 4500 # 20.000 psi PN400	1.0426 (EN 10222-2), 1.0460 (EN 10273), 1.0619 (EN 10213), 1.0625 (EN 10213), 1.0426 (EN 10222-2), 1.0460 (EN 10273), 1.0619 (EN 10213), 1.0625 (EN 1.0426 (EN 10222-2), 1.0460 (EN 10273), 1.0619 (EN 10213), 1.0625 (EN 10213), 1.4308 (EN 10213), 1.4401 (EN 10222-5), 1.4404 (EN 10222-5), 1.4408 (EN 10213), 1.4409 (EN 10213), 1.4541 (EN 10222-5), 1.4550 (EN 10222-5), 1.4552 (EN 10213), 1.4571 (EN 10222-5), 1.4581 (EN 10213), 1.5415 (EN 10222-2), 1.6368 (EN 10216-2), 1.7335 (EN 10222-2), A105, A194 Gr. 6 T410, A216 (WCB/WCC), A182 (Gr.: F1/F5/F5a/F9/F11/F22/F44/F51/F53/F91/F304/F304L/F316/F316H/F316L/F321/F347/F347H), A240 316, A217 (C5/C12A/WC1/WC6/WC9), A350



LRQA Inspection Iberia, S.A. is a company registered in the R. M. de Madrid, in Volume 5218 general, 4358, of Section Sec. 3.ª of the Companies Book, folio 133 sheet nº 41397, inscription. 1.ª C.I.F. - A28591287 - Registered office C/Princesa 29, 1º. 28008 Madrid. A subsidiary of LRQA Group Limited.

LRQA Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as 'LRQA'. LRQA assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant LRQA entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.



## EU CERTIFICATE SCHEDULE 0094/PED/MAD/0132 ENG

In accordance with the requirements of the Pressure Equipment  
Directive 2014/68/EU.

Product (s)	Model	Design Standard/ Code	Size Range	Rating Range	Materials
					(LF2/LF3), A351 (CD4MCu/CF3/CF3M/CF8/CF8C/CF8M/CK3MCuN), A352 (LC1/LC2/LC3/LCB/LCC), A453 Gr. 660B, A479 (T304/T304L/T316/T316L/T321), A494 (CW6MC/M35-1), B564 (N04400/N06625)
<b>Plug valve</b>		ANSI B16.34 API 6D API 6DSS EN 12516	Up to:  30" DN750	Up to:  2500 # PN320	1.0426 (EN 10222-2), 1.0460 (EN 10273), 1.0619 (EN 10213), 1.0625 (EN 10213), 1.0426 (EN 10222-2), 1.0460 (EN 10273), 1.0619 (EN 10213), 1.0625 (EN 1.0426 (EN 10222-2), 1.0460 (EN 10273), 1.0619 (EN 10213), 1.0625 (EN 10213), 1.4308 (EN 10213), 1.4401 (EN 10222-5), 1.4404 (EN 10222-5), 1.4408 (EN 10213), 1.4409 (EN 10213), 1.4541 (EN 10222-5), 1.4550 (EN 10222-5), 1.4552 (EN 10213), 1.4571 (EN 10222-5), 1.4581 (EN 10213), 1.5415 (EN 10222-2), 1.6368 (EN 10216-2), 1.7335 (EN 10222-2), A105, A194 Gr. 6 T410, A216 (WCB/WCC), A182 (Gr.: F1/F5/F5a/F9/F11/F22/F44/F51/F53/F91/F304/F304L/F316/F316H/F316L/F321/F347/F347H), A240 316, A217 (C5/C12A/WC1/WC6/WC9), A350 (LF2/LF3), A351 (CD4MCu/CF3/CF3M/CF8/CF8C/CF8M/CK3MCuN), A352 (LC1/LC2/LC3/LCB/LCC), A453 Gr. 660B, A479 (T304/T304L/T316/T316L/T321), A494 (CW6MC/M35-1), B564 (N04400/N06625)

## EU CERTIFICATE SCHEDULE 0094/PED/MAD/0132 ENG

In accordance with the requirements of the Pressure Equipment  
Directive 2014/68/EU.

Schedule Issue: 04  
Date of Schedule Issue: 22 May 2023  
Notified Body 0094

---

Cristel López, LRQA Decision Maker



LRQA Inspection Iberia, S.A. is a company registered in the R. M. de Madrid, in Volume 5218 general, 4358, of Section Sec. 3.ª of the Companies Book, folio 133 sheet nº 41397, inscription. 1.ª  
C.I.F. - A28591287 - Registered office C/Princesa 29, 1º. 28008 Madrid. A subsidiary of LRQA Group Limited.

LRQA Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as 'LRQA'. LRQA assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant LRQA entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.